



Classic Hydronic

- floor standing or wall-mounted
- 295 to 1442 BTU/hr
- chrome, nickel, satin nickel, regal brass, satin brass, gold, satin gold plate finishes
- also available in baked epoxy powdercoat white finish or custom colors
- manufactured from the highest quality de-zinc brass tubing
- provided with matching valves and sleeve kit
- 5 year Myson Warranty


Classic Towel Warmers are the perfect selection for both traditional and contemporary baths and are suitable for central heating or hot water circulating systems.




S6




S14



S40-1



S11



CYG14


Model	Btu/hr △85° F	Overall Height (in)	Overall Width Including Flanges (in)	Width C/C Vertical Tubes (in)	Center to Center Conn. (in)	Floor to Center Conn. (in)	Overall Projection (in)	Tube Diameter (in)	Shipping Weight (lbs)	Special Order ✓
S6/1	1,080	36-5/8	27-1/4	24	17-1/2	4-1/4	Depends on Wall Stays	1-1/4	48	N/A
S6/2	1,152	36-5/8	33-1/4	30	23-1/2	4-1/4		1-1/4	57	N/A
S6/3	1,224	36-5/8	39-1/4	36	29-1/2	4-1/4		1-1/4	68	✓
S6/4	1,296	36-5/8	45-1/4	42	35-1/2	4-1/4		1-1/4	77	✓
S11/1	1,143	27-1/4	27-1/4	24	17-1/2	—	6-1/2	1-1/4	48	N/A
S11/2	1,238	33-1/4	33-1/4	30	23-1/2	—	6-1/2	1-1/4	57	N/A
S11/3	1,362	33-1/4	39-1/4	36	29-1/2	—	6-1/2	1-1/4	77	✓
S11/4	1,442	33-1/4	45-1/4	42	35-1/2	—	6-1/2	1-1/4	77	✓
S14/1	475	27	27	24	17-3/4	—	6-1/2	1	48	N/A
S14/2	535	27	33	30	23-3/4	—	6-1/2	1	48	N/A
S14/3	598	27	39	36	29-3/4	—	6-1/2	1	68	✓
S14/4	636	33	39	36	29-3/4	—	6-1/2	1	68	✓
CYG14/1	295	27	27	24	17-3/4	—	5-1/2	1	30	—
CYG14/2	346	27	33	30	23-3/4	—	5-1/2	1	30	—
CYG14/3	396	27	39	36	29-3/4	—	5-1/2	1	30	—
CYG14/4	429	33	39	36	29-3/4	—	5-1/2	1	30	—

Model	BTU/hr	Overall Height (in)	Overall Width Including Flanges (in)	Center of Bottom Rail to Valve Center	Width C/C Vertical Tubes (in)	C/C Water Conn.	Overall Projection (in)	Tube Diameter (in)	Shipping Weight (lbs)	Special Order
S40/1	616	6-3/4	18-1/4	3-3/4	17	17	12	1-1/4	29	N/A
S40/2	720	6-3/4	24-1/4	3-3/4	23	23	12	1-1/4	29	N/A

✓ Special order for electric versions of this model. Please call Myson at 1-800-698-9690 for details. N/A-not available Valves are 3/4" Copper Compression

- from 333 to 1532 BTU/hr
- floor standing or wall-mounted
- manufactured from the highest quality de-zinc brass tubing
- chrome, nickel, satin nickel, regal brass, satin brass, gold, satin gold plate finish
- baked epoxy powdercoat white finish or custom colors
- combination finishes include chrome/gold; chrome/regal brass; white/gold and more
- custom sizes available
- suitable for central heating or hot water circulating systems
- provided with matching valves and sleeve kit
- 5 year Myson Warranty

Premier Towel Warmers make an elegant styling statement in any room. They are available in a wide range of stunning styles and are sized to keep your towels warm, remove humidity from the room, and add that extra needed warmth.



Model	Btu/hr Δ85° F	Overall Height (in)	Overall Width Including Flanges (in)	Width C/C Vertical Tubes (in)	Center to Center Conn. (in)	Valve Rough-in from Wall	Floor to Center Conn. (in)	Overall Projection (in)	Tube Diameter (in)	Shipping Weight (lbs)
B24/1	507	37-1/2	27	24	18	4-1/2	4-1/4	5-1/8	1	66
B24/2	568	37-1/2	33	30	24	4-1/2	4-1/4	5-1/8	1	66
B24/3	632	37-1/2	39	36	30	4-1/2	4-1/4	5-1/8	1	66
B24/4	600	37-5/8	27-1/4	24	18	4-1/2	4-1/4	5-3/8	1-1/4	66
B24/5	680	37-5/8	33-1/4	30	24	4-1/2	4-1/4	5-3/8	1-1/4	66
B24/6	752	37-5/8	39-1/4	36	30	4-1/2	4-1/4	5-3/8	1-1/4	66
B26/1	1080	36-7/8	27-1/4	24	18	—	4-1/4	Depends on Wall Stays	1-1/4	47
B26/2	1152	36-7/8	33-1/4	30	24	—	4-1/4		1-1/4	47
B26/3	1224	36-7/8	39-1/4	36	30	—	4-1/4		1-1/4	47
B26/4	1296	36-7/8	45-1/4	42	36	—	4-1/4		1-1/4	47
B29	1320	41	27-1/4	24	24	—	—	5-1/2	1-1/4	76
B30	1200	39	27-1/4	24	18	—	4-1/4	8-3/4	1-1/4	80
B31/1	1214	27-1/4	27-1/4	24	18	—	—	6-7/8	1-1/4	47
B31/2	1315	33-1/4	33-1/4	30	24	—	—	6-7/8	1-1/4	55
B31/3	1446	33-1/4	39-1/4	36	30	—	—	6-7/8	1-1/4	55
B31/4	1532	33-1/4	45-1/4	42	36	—	—	6-7/8	1-1/4	55
B34/1	505	27	27	24	18	—	—	6-5/8	1	49
B34/2	569	27	33	30	24	—	—	6-5/8	1	49
B34/3	634	27	39	36	30	—	—	6-5/8	1	49
B34/4	675	33	39	36	30	—	—	6-5/8	1	49
B34/5	606	27-1/4	27-1/4	24	18	—	—	6-7/8	1-1/4	49
B34/6	684	27-1/4	33-1/4	30	24	—	—	6-7/8	1-1/4	49
B34/7	760	27-1/4	39-1/4	36	30	—	—	6-7/8	1-1/4	66
B34/8	810	33-1/4	39-1/4	36	30	—	—	6-7/8	1-1/4	66

Space-Saver Models


B24N	355	36-5/8	21-1/4	18	12	—	4-1/4	5-5/8	1-1/4	30
B34N	333	27-1/4	21-1/4	18	12	—	—	6-5/8	1-1/4	30
B35N	594	51-1/4	15-1/4	12	12	—	—	5-3/8	1-1/4	35
B36M	714	27-1/4	21-1/4	18	18	—	—	5-1/2	1-1/4	35

Valves are 3/4" Copper Compression


Master Suite Hydronic

Master Suite Hydronic Towel Warmers add character, charm and elegance. Featuring traditional styling and beauty, this Collection is the ultimate in quality and craftsmanship.


- Floor-standing or wall-mounted models
- up to 2520 BTU/hr
- manufactured from the highest quality de-zinc brass tubing
- chrome, nickel, satin nickel, regal brass, satin brass, gold, satin gold plate finish
- baked epoxy powdercoat white finish or custom colors
- combination finishes include chrome/gold; chrome/regal brass; white/gold and more
- custom sizes available
- suitable for central heating or hot water circulating systems
- provided with matching cross-handle valves and sleeve kit
- 5 year Myson Warranty




B25




B35




B36



B47



B49



VR1

Model	Btu/hr Δ85° F	Overall Height (in)	Overall Width Including Flanges (in)	Width C/C Vertical Tubes (in)	Center to Center Conn. (in)	Floor to Center Conn. (in)	Valve Rough-in from Wall	Overall Projection (in)	Tube Diameter (in)	Shipping Weight* (lbs)
B25/1	736	61-5/8	21-1/4	18	12	4-1/4	4-3/8	5-3/8	1-1/4	150
B25/2	848	61-5/8	27-1/4	24	18	4-1/4	4-3/8	5-3/8	1-1/4	150
B25/3	960	61-5/8	33-1/4	30	24	4-1/4	4-3/8	5-3/8	1-1/4	150
B35/1	660	51-1/4	21-1/4	18	18	—	—	6-7/8	1-1/4	150
B35/2	776	51-1/4	27-1/4	24	24	—	—	6-7/8	1-1/4	150
B35/3	880	51-1/4	33-1/4	30	30	—	—	6-7/8	1-1/4	150
B36/1	1344	51-1/4	21-1/4	18	18	—	—	6-7/8	1-1/4	150
B36/2	1704	51-1/4	27-1/4	24	24	—	—	6-7/8	1-1/4	150
B36/3	2064	51-1/4	33-1/4	30	30	—	—	6-7/8	1-1/4	150
B47/1	1904	68-3/8	27-1/4	24	18	4-1/4	4-3/8	5-3/8	1-1/4	150
B47/2	2040	68-3/8	33-1/4	30	24	4-1/4	4-3/8	5-3/8	1-1/4	150
B49	2000	73-1/2	27-1/4	24	18	4-1/4	4-3/8	5-3/8	1-1/4	150
VR1	2520	37-1/2	26-3/4	23-1/2	17-1/8	4-1/4	4-1/8	8-1/8	1-1/4	60


Valves are 3/4" Copper Compression

*150 lb. minimum must ship via truck


Multi-Rail, Aloha & ECO Hydronic

- wall-mounted
- from 972 to 4178 BTU/hr
- manufactured from the highest quality materials
- heat output for warming towels and the room
- chrome, nickel, satin nickel, regal brass, satin brass, gold, satin gold plate finish
- available in baked epoxy powdercoat white finish
- provided with necessary installation accessories
- MRR models available with matching optional towel rail for extra hanging space
- 5 year Myson Warranty


Multi-Rail, Eco & Aloha hydronic Towel Warmers are the elegant solution to warming towels and keeping the humidity level down and dampness out.



MRR1



CMR4



COS125

Multi-Rail Hydronic Brass Construction

Model	Btu/hr △85° F	Optional Additional Towel Rail	Overall Height (in)	Overall Width (in)	Width C/C Vertical Tubes (in)	Center to Center Conn. (in)	Overall Projection (in)	Tube Diameter (in)	Shipping Weight* (lbs)
MRR1	1284	MRAC 1	29-7/8	19-3/4	18-1/2	18-1/2	3-7/8	1-1/4" Vertical Tubes	25
MRR2	1523	MRAC 2	29-7/8	23-5/8	22-1/2	22-1/2			30
MRR3	1881	MRAC 3	29-7/8	29-1/2	28-1/4	28-1/4	3-7/8		35
MRR4	1873	MRAC 1	46-7/8	19-3/4	18-1/2	18-1/2	3-7/8	1" Horizontal Tubes	40
MRR5	2238	MRAC 2	46-7/8	23-5/8	22-1/2	22-1/2	3-7/8		45
MRR6	2786	MRAC 3	46-7/8	29-1/2	28-1/4	28-1/4	3-7/8		50
MRR7	2819	MRAC 1	70-7/8	19-3/4	18-1/2	18-1/2	3-7/8	Horizontal Tubes	150
MRR8	3363	MRAC 2	70-7/8	23-5/8	22-1/2	22-1/2	3-7/8		150
MRR9	4178	MRAC 3	70-7/8	29-1/2	28-1/4	28-1/4	3-7/8		150

Aloha Hydronic Brass Construction

CMR1	972	N/A	28-1/2	19-1/4	17-1/2	17-5/8	5-1/2	1-1/2" Vertical "D" Tubes	39
CMR2	1150	N/A	28-1/2	23-1/4	21-3/8	21-1/2	5-1/2		45
CMR3	1419	N/A	28-1/2	29-1/8	27-1/4	27-3/8	5-1/2		56
CMR4	1637	N/A	47	19-1/4	17-1/2	17-5/8	5-1/2	1" Oval Horizontal Tubes	59
CMR5	1938	N/A	47	23-1/8	21-3/8	21-1/2	5-1/2		68
CMR6	2391	N/A	47	29-1/8	27-1/4	27-3/8	5-1/2		82
CMR7	2590	N/A	73	19-1/4	17-1/2	17-5/8	5-1/2	Horizontal Tubes	150
CMR8	3070	N/A	73	23-1/4	21-3/8	21-1/2	5-1/2		150
CMR9	3789	N/A	73	29-1/8	27-1/4	27-3/8	5-1/2		150

Eco Hydronic Steel Construction

COS85	1302	N/A	34	19-5/8	17-3/4	17-3/4	4	1-1/2" Vertical "D" Tubes	39
COS86	1525	N/A	34	23-5/8	21-5/8	21-5/8	4		45
COS125	1804	N/A	48-1/4	19-5/8	17-1/2	17-3/4	4	1" Horizontal Tubes	59
COS126	2120	N/A	48-1/4	23-5/8	21-5/8	21-5/8	4		68
COS185	2720	N/A	71-1/8	19-5/8	17-1/2	17-3/4	4		150
COS186	3190	N/A	71-1/8	23-5/8	21-5/8	21-5/8	4	150	


Valves are 1/2" Copper Compression

*150 lb. minimum must ship via truck

Tempo Hydronic

- hydronic models
- manufactured from the highest quality de-zinc brass tubing
- 893 to 2478 BTU/hr
- chrome, nickel, satin nickel, regal brass, satin brass, gold, satin gold plate finish
- baked epoxy powdercoat white finish or custom colors
- provided with matching valves and sleeve kit
- Serenade available as an inside corner model or custom order as an outside corner (page 21)
- decorative "finial"
- 5 year Myson Warranty


The Tempo Collection has been styled with the designer in mind, presenting the best of both European contemporary styling and elegance. Hydronic only. Brass Construction



SEN2



SON1



CAD2

Serenade Hydronic Brass Construction

Model	Btu/hr △85° F	Overall Height (in)	Overall Width (in)	Overall Depth (in)	Number of Tubes	Overall Projection (in)	C/C Connections* (in)	Shipping Weight* (lbs)	Special Order
SEN1	993	39	20-1/16	11-7/8	N/A	3-3/8	2-1/8	50	N/A
SEN2	1873	70-7/8	20-1/16	11-7/8	N/A	3-3/8	2-1/8	150	N/A
SEN01	993	39	20-1/16	11-7/8	N/A	3-3/8	2-1/8	50	N/A
SEN02	1873	70-7/8	20-1/16	11-7/8	N/A	3-3/8	2-1/8	150	N/A

Sonata Hydronic Brass Construction

SON1	993	70-7/8	6-1/2	—	4	3-3/8	2-3/4	30	N/A
SON2	1474	70-7/8	9-1/4	—	6	3-3/8	5-3/4	35	N/A
SON3	1978	70-7/8	12-1/8	—	8	3-3/8	8-1/2	40	N/A
SON4	2478	70-7/8	15	—	10	3-3/8	11-3/8	50	N/A

Cadence Hydronic Brass Construction


CAD1	893	39	23-5/8	—	N/A	3-3/8	2-1/8	30	N/A
CAD2	1585	70-7/8	23-5/8	—	N/A	3-3/8	2-1/8	50	N/A

*Rough in = 1/2" copper compression *150 lb. minimum must ship via truck

Melody Hydronic

- Gavotte and Rhapsody available in Chrome, Regal Brass or Gold Plate
- BTU range from 1024 to 3489
- Cavatine, Interlude and Maestro available in baked epoxy powdercoat white finish
- provided with matching valves and sleeve kit
- 5 year Myson Warranty

The Melody Collection is a designer's dream...a stunning and dramatic focal point. Manufactured from high quality alloy steel, they are only appropriate for closed-loop heating systems.



Gavotte Hydronic Steel Construction

Model	Btu/hr Δ85° F	Overall Height (in)	Overall Width (in)	Variable Projections (in)	C/C Connections* (in)	Shipping Weight (lbs)
GAV1	1376	29-3/4	19-11/16	5-3/4 - 6-1/4	15-3/4	40
GAV2	1610	29-3/4	23-5/8	6-1/8 - 6-5/8	19-1/2	46
GAV3	2113	48	19-11/16	5-3/4 - 6-1/4	15-3/4	52
GAV4	2468	48	23-5/8	6-1/8 - 6-5/8	19-1/2	58
GAV5	2973	69-1/2	19-11/16	5-3/4 - 6-1/4	15-3/4	64
GAV6	3489	69-1/2	23-5/8	6-1/8 - 6-5/8	19-1/2	70

Rhapsody Hydronic Steel Construction

RHA1	1674	49-1/4	22-1/2	8-7/8 - 9-3/8	12-1/2	60
RHA2	2294	63	25	9-7/8 - 10-3/8	13-1/2	82

Cavatine Hydronic Steel Construction

CAV1	2528	44-1/2	25-9/16	4-1/2 - 4-7/8	2-1/8	40
CAV2	3294	56-5/16	25-9/16	4-1/2 - 4-7/8	2-1/8	60

Interlude Hydronic Steel Construction

INT1	1024	20-7/8	19-11/16	4-1/4 - 4-7/8	17-5/8	40
INT2	1692	38-5/8	19-11/16	4-1/4 - 4-7/8	17-5/8	48
INT3	2506	59-1/4	19-11/16	4-1/4 - 4-7/8	17-5/8	54

Maestro Hydronic Steel Construction

MAE1	1512	31-5/16	19-5/8	3-7/8 - 4-3/8	2-1/8	42
MAE2	2208	47-1/16	19-5/8	3-7/8 - 4-3/8	2-1/8	48
MAE3	3070	69-5/32	19-5/8	3-7/8 - 4-3/8	2-1/8	54

All products in the Melody Collection are designed for closed-loop heating system.

*Rough in = 1/2" copper compression